



# KALMIA

# HEALTHCARE

AIM OF MAKING YOU & YOUR LOVED ONES

*Healthy & Happy*

## OUR PRODUCTS RANGE



**KALMIA HEALTHCARE**

(An ISO 9001 :2015 Certified Company)

SCO 218, First Floor,  
Phase 1, Urban Estate, Patiala.

- Email : [kalmiahealthcare@gmail.com](mailto:kalmiahealthcare@gmail.com)
- Web : [www.kalmiahealthcare.com](http://www.kalmiahealthcare.com)

When **Proper Nutrition**  
Can't go through your body

# AMINOPRIX **IV**

— Nutritive Infusion of Pure Crystalline Amino Acid —

- » Important for the maintenance of body homeostasis & metabolism in critically ill patients
- » Used to treat malnutrition & prevent postoperative starvation
- » Used as an adjunct in the offsetting of nitrogen loss or in the treatment of negative nitrogen balance to achieve positive nitrogen balance
- » Prevents growth retardation & chronic diseases

## ● For Parenteral Nutrition When : ●

Oral or Enteral Nutrition is not possible, Insufficient or Contraindicated

Gastrointestinal Absorption is Impaired by Obstruction,  
Inflammatory Disease or Antineoplastic Therapy

Bowel Rest is needed because of Gastrointestinal Surgery

AVAILABLE IN

20 100  
200 ml 250  
500

# A *Winning Edge* in a Combat against *Infection*...



## **AMOXYKAL-S** Amoxicillin 1000 Mg + Sulbactam 500 Mg Inj

### **Indications**

- ✓ **GYNAECOLOGICAL INFECTIONS**
- ✓ **SKIN AND SKIN STRUCTURE INFECTIONS**
- ✓ **URINARY TRACT INFECTIONS**
- ✓ **BONE AND JOINT INFECTIONS**
- ✓ **INTRA-ABDOMINAL INFECTIONS**
- ✓ **SURGICAL INFECTIONS**

### **Ampicillin**

- » *Treat certain infections that are caused by bacteria such as meningitis (infection of the membranes that surround the brain and spinal cord) and lung, blood, heart, urinary tract, and gastrointestinal tract infections. Ampicillin injection is in a class of medications called penicillins.*

### **Sulbactam**

- » *Inactivates enzymes that destroy penicillins and cephalosporins by lactamase resistant structure*
- » *Potentiates activity of lactamase sensitive ceftriaxone and increases its spectrum.*
- » *Exhibits bactericidal activity against: Staphylococci Haemophilus influenzae, Moraxella catarrhalis and Neisseria spp.*

***KNOCKS the infection out of its zone...***



# **AMPIKAL-S**

**Ampicillin 1000 Mg + Sulbactam 500 Mg Injection**

## **Indications**

- ✓ **Skin and Soft Tissue Infections**
- ✓ **Cholecystitis/ Osteomyelitis**
- ✓ **Chronic Suppurative Bacterial Otitis Media**
- ✓ **Gonorrhoea/ Chancroid/ Syphilis**
- ✓ **Urinary Tract Infections**
- ✓ **Meningitis/ Noscomial Infections**

## **ADVANTAGE OF COMBINATION**

- » *Produces larger zones of inhibitions than ceftriaxone alone*
- » *Bacteria resistant to ceftriaxone, once again become sensitive when inhibitor sulbactam is added*
- » *Sulbactam synergistically improves the activity of ceftriaxone against Beta-lactamase producing pathogens*
- » *Shows concentration higher than MIC even after 24hrs against most pathogens*

# The Protecting Shield

*against Various Infections*

# AZIKAL

**Azithromycin 500mg**

**INJECTION**

- ) **Highly effective in acute & inflammatory acne**
- ) **100% cure in Chlamydial & Gonococcal Cervicitis**
- ) **High efficacy in non-Gonococcal Urethritis**
- ) **Effective against malaria in combination with Artesunate or quinine**

## Indications

**ACUTE & CHRONIC BRONCHITIS**

**COMMUNITY ACQUIRED PNEUMONIA**

**ACUTE EXACERBATION OF COPD**

**OTITIS MEDIA**

**ACUTE & CHRONIC SINUSITIS**

**TONSILLITIS & PHARYNGITIS**



**THE ULTIMATE WARRIOR** AGAINST

**SEVERE RESISTANT INFECTIONS**

**AZTREOFIT**

**500**  
**1000**

Aztreonam 500/1000mg | INJECTION |

It is used to treat many different types of bacterial infections such as infections of lungs (pneumonia), blood, brain, ear, skin, and soft tissue, abdomen, bone windpipe and urinary tract.

**Urinary Tract Infections**

**Lower Respiratory Tract Infections**

**Septicemia**

**Skin and Skin-Structure Infections**

**Intra-abdominal Infections**



The Ideal Choice in COPD

# BUDESHOT NEB-F

Budesonide 0.5mg + Formoterol Fumarate 20mcg  
**RESPULES**

## Budesonide

- ▶ An anti-inflammatory corticosteroid.
- ▶ Exhibits potent glucocorticoid activity and weak mineralocorticoid activity.
- ▶ Exhibits inhibitory activities in allergic & non-allergic mediated inflammation.
- ▶ Works directly in the lungs to make breathing easier by reducing the irritation and swelling of the airways.

## Formoterol Fumarate


- ▶ A long-acting bronchodilator which works by relaxing the muscles in the airways and widens the airways.

## INDICATIONS

Chronic obstructive pulmonary disease (COPD),

Chronic Bronchitis

Emphysema



The Ideal Choice

in COPD

# BUDESHOT NEB-LS

Levosalbutamol 1.125mg + Budesonide 0.5mg

RESPULES


## Levosalbutamol

- Levosalbutamol is a bronchodilator that relaxes muscles and widens the airways of the lungs. Thus, it makes breathing easier.

## Budesonide

- Budesonide is a corticosteroid that acts inside cells of the nasal lining and stops the release of certain chemicals in the body that cause inflammatory reactions. Thereby, it provides relief from sneezing, runny or blocked nose and sinus discomfort.

It is used to prevent or treat symptoms of asthma and chronic obstructive pulmonary diseases (COPD) such as shortness of breath, coughing or wheezing (whistling sound while breathing).







BREATHE EASY IN THE FREE AIR....



with

# BUDESHOT NEB<sup>TM</sup>

Budesonide 0.5mg/2ml

RESPULES

## ASTHMA

It is used in the treatment of asthma which is an inflammation of airways characterized by breathing difficulty.

## CROHN'S DISEASE

It is used in the treatment of crohn's disease which is an inflammation of the lining of the digestive system.

## ULCERATIVE COLITIS

It is used in the treatment of ulcerative colitis which is an inflammation of the lining of the large intestine.



*Protective Shield From Toughest Infection*

Kalmia's

# CEFDOPILL

TABLETS

200

Cefpodoxime Proxetil  
200mg Dispersible

CV  
325

Cefpodoxime Proxetil 200mg  
+ Potassium Clavulanate 125mg

- Clinical cure rate: 90.3% in Pharyngotonsillitis
- Drug of choice in treatment of most URTIs
- Ideal switch over therapy from intravenous Ceftriaxone in Serious RTIs
- Proven efficacy in acute Otitis Media, Tonsillitis & Pharyngitis

## Indications

Pharyngitis/Tonsillitis

Urinary Tract Infections

Chronic Bronchitis

Skin & Soft Tissue Infections

Community Acquired  
Pneumonia



Complete Protection

against **Powerful Infections**



# CEFOKAL-S 1.5 GM

Cefoperazone 1gm + Sulbactam 0.5gm

INJECTION

## 【 Cefoperazone 】

- In combination with sulbactam, can be recommended for the clinical practice against Gram -ve bacteria exhibiting resistant to other antimicrobials & is a cheaper alternative to meropenem

## 【 Sulbactam 】

- Is a beta lactamase inhibitor and prevents the interaction of the enzyme with the antibiotic molecule

### Indications

**Infections in Neutropenic Patients**  
**Intra Abdominal Infections**  
**Bone & Joint Infections**

**ICCU Acquired Infections**  
**Urinary Tract Infections**  
**Burns & Wounds**  
**Septicemia**



*Complete Protection against*

*Destructive Bacteria*

# CLARIKAL

**Clarithromycin 500mg** INJECTION



- Clarithromycin is a macrolide antibiotic with broad spectrum of activity.
- Absorption un affected by food
- Clarithromycin is a 1st line drug in the combination regimen for mac infections in AIDS patients.
- Clarithromycin is a 2nd line treatment for other a typical microbacterial diseases and laprosy.

**Acute & Chronic Bronchitis**

**Biliary tract infections**

**Tonsilitis & Pharyngitis**



When Your *Brain* Needs Intensive Care

# CRYPICOL

**500**  
**1000**  
INJECTION

Citicoline 500/1000mg



- 🎯 Citicoline seems to increase a brain chemical called phosphatidyl choline, which is important for brain function
- 🎯 Citicoline might also decrease brain tissue damage when brain is injured




- ATTENTION DEFICIT DISORDERS
- AGE RELATED MEMORY PROBLEM
- STROKE RECOVERY
- ALZHAMER DISEASE
- CEREBRAL INJURY
- PARKINSONS DISEASE

INDICATIONS



# The **Most** advanced Treatment of **Tough Infections**



## **CRYPIME-TZ**

Cefepime 1 GM + Tazobactam 125 Mg

### Indications

- ✓ Nosocomial infections
- ✓ Severe pneumonia
- ✓ Complicated intra-abdominal infections
- ✓ Febrile neutropenia
- ✓ Complicated UTI

**Best suited and highly adaptable...**

— Also Available :

**CRYPIME-1GM**  
Cefepime 1 GM

**CRYPIME-S**  
Cefepime 1 GM+ Sulbactam 500 Mg

### **Cefepime :**

- » Is a fourth-generation cephalosporin antibiotic and has an extended spectrum of activity against Gram-positive and Gram-negative bacteria, with greater activity against both types of organism than third-generation agents.
- » Commonly used in nosocomial infections.  
*Int J Antimicrob Ageres. 2015 May 45(5)541-4*

### **Tazobactam :**

- » Is a structural inhibitor of beta lactamase and prevents enzymatic degradation of cefepime.
- » Enhances the spectrum of cefepime.

### **Sulbactam :**

- » Treatment of upper and lower respiratory tract infections
- » Treating skin and skin structure infections, intra-abdominal infections, and gynecological infections.

FOR MAGICAL RESULTS .....

in Allergic Inflammations & Auto Immune Diseases

# CRYPLONE


40 / 500  
125 / 1000

Methylprednisolone Succinate 40/125/500/1000mg **INJECTION**

- More Potent & more selective than Prednisolone
- Ensures better anti-inflammatory potency than Hydrocortisone
- Potentiates action of bronchodilators with improvement in air flow parameters
- Effective for both "Acute Periods" & Long Term Management of autoimmune diseases like : SLE (Systemic Lupus Erythmatosus)

## INDICATIONS

- Allergic states
- Collagen disease
- Iritis
- Acute bronchitis
- Rheumatic disorders
- Optic neuritis
- Arthritis



THE IDEAL CORTICOSTEROID FOR **CRITICAL CONDITIONS**



# CRYPLONE-A 80

Methylprednisolone Acetate 80mg **INJECTION**



- ☀️ A corticosteroid with anti-inflammatory & immune-modulating properties.
- ☀️ Rapidly adopted as the standard of care for acute spinal cord injury.
- ☀️ Increases blood flow & stabilizes the cell membranes, inhibiting lipid peroxidation with a consequent reduction in the production of freeradicals.



## INDICATIONS

**ALLERGIC STATE**

**DERMATOLOGIC DISEASES**

**SPINAL CORD INJURY**

**ENDOCRINE DISORDERS**

**NEOPLASTIC DISEASES**

**NERVOUS SYSTEM DISORDERS**



Break the  
Barrier of Infection

with

# CRYPTAZ

INJECTION



**TZ 1.125**

Ceftazidime 1gm + Tazobactam 125mg

**1GM**

Ceftazidime 1gm

**AV 2.5**

Ceftazidime 2gm + Avibactam 500mg

- It has a broad spectrum of action & is active against both Gram +ve & Gram -ve bacteria.
- It forms the first line therapy for the treatment of melioidosis

## Indications

- BONE & JOINT INFECTIONS
- SKIN & SKIN STRUCTURE INFECTIONS
- LOWER RESPIRATORY TRACT INFECTION
- URINARY TRACT INFECTIONS
- CELLULITIS
- ENDOMETRITIS
- BACTERIAL SEPTICEMIA



**kalmia**  
healthcare

**Prime choice** in Variety of Infections

# CRYPTAZ

# AV

Ceftazidime 2gm + Avibactam 0.5gm

**INJECTION**

The combination of Ceftazidime & Avibactam injection is used with metronidazole (Flagyl) to treat abdominal (stomach area) infections.

It is also used to treat pneumonia that developed in people who are on ventilators or who were in a hospital, and kidney and urinary tract infections

## INDICATIONS

Lower Respiratory Tract Infections

Skin and Skin Structure Infections

UTI Infections

Bacterial Septicemia

Bone and Joint Infections

Gynaecologic Infections

Intra abdominal Infections

CNS Infections

Ultimate Power to **fight** Infections

Nizer's

# Crypzar-4.5gm

Piperacillin 4000mg + Tazobactam 500mg **INJECTION**



## **Pipperacillin**

- Broad spectrum antibiotic active against gram positive & gram negative type of bacteria and anaerobec
- Highly active organisms

## **Tazobactam**

- b-lactamase inhibitor enhances the effectiveness of piperacillin
- Demonstrated good activity against B.fragillis and E.colli.
- Piperacillin-tazobactam is more effective than ceftriaxone + Sulbactam in febrile neutropenic patients with hematological malignancies

## *Indications*

**COMMUNITY-AQUIRED PNEUMONIA**  
**GYNECOLOGICAL INFECTIONS**  
**APPENDICITIC & PERITONITIS**  
**SKIN & SKIN STRUCTURE INFECTIONS**  
**NOSOCOMAL PNEUMONIA**  
**FEBRILE NEUTROPENIA**  
**POSTPARTUM ENDOMETRITIS**  
**PELVIC INFLAMMATORY DISEASE**

**For wide spectrum control over *inflammation...***



# DEXAKAL

Dexamethasone Inj 4Mg/ML 2ML

## Indications

- ✓ Treatment of Extensive, Severe, Acute, Skin Diseases,
- ✓ Treatment of Erythroderma and Pemphigus Vulgaris.
- ✓ Treatment of Autoimmune Disorders like Systemic Lupus Erythematoses

- Dexamit gives relief in inflammatory conditions that affect muscles and joints such as arthritis and ankylosing spondylitis.
- Dexamethasone works by blocking certain chemicals that cause pain and swelling.
- Dexamethasone is used in the treatment of various diseases and autoimmune conditions and cancer
- Synthetic topical corticosteroid.
- Inhibits synthesis of inflammatory mediators-Prostaglandins.
- A highly potent & long acting corticosteroid.

The Dominating Antibiotic  
in Fighting Infections...

# DORICARE

Doripenem 500mg | Injection |

- ▶ Extends antibacterial activity against aerobic and anaerobic Gram (+ve) and Gram (-ve) bacteria.
- ▶ A single agent for the treatment of
  - Complicated Intra-abdominal infections
  - Nosocomial Pneumonia, including Ventilator-associated Pneumonia
  - Complicated Urinary Tract Infections, Including Pyelonephritis.

- ▶ Complicated Intra-abdominal Infection
- ▶ Serious Nosocomial Infection
- ▶ Acute Biliary Tract Infection
- ▶ Urinary Tract Infection
- ▶ Bacterial Pneumonia
- ▶ Sever Sepsis

**SAFEST in Sensitive Situations**



SAFE with  
NO treatment emergent seizures.



Negligible neurotoxic effects



Advance action against *Bacterial Infections*

# DOXYKAL

Doxycycline 100mg

INJECTION

**Broad spectrum antibacterial coverage**

**Beta lactamase stable**

**Reduces the development of drug-resistant bacteria**

**High clinical success rate**

## INDICATIONS

- Community acquired pneumonia
- Urinary tract infections
- Skin & soft tissue infections
- Chronic bronchitis
- Sepsis
- Acute otitis media
- Typhoid
- GI infections
- PID
- Malaria



The lifelong promise of *Healthy Bones*

Kalmia's

# DRAWBONE-D3 MAX

Calcitriol 0.25mcg + Omega-3-fatty Acids containing EPA 180mg, DHA 120mg + Methylcobalamin 1500mcg + Folic Acid 400mcg + Boron 1.5mg + Calcium Carbonate 500mg

Soft Gelatin Capsules

- » Ensures highest calcium absorption & increases bone mineral density
  - » Increases bone formation
  - » Increases osteoblast formation & inhibits osteoclast formation
  - » Reduces the number of hip fractures
- 
- » **POST MENOPAUSAL OSTEOPOROSIS**
  - » **STEROID INDUCED OSTEOPOROSIS**
  - » **PREGNANCY & LACTATION**
  - » **RENAL OSTEODYSTROPHY**
  - » **HYPOPARATHYROIDISM**
  - » **OSTEOPOROSIS**
  - » **FRACTURES**



Maintain the *Healthy Bones* with

Kalmia's

# DRAWBONE-D3 STRONG

L-Methyl Folate 800mcg + Calcitriol 0.25mcg + Calcium Carbonate 1250mg +  
Vitamin K2-7 45mcg + Methylcobalamin 1500mcg + Zinc 7.5mg + Magnesium 50mg

Soft Gelatin Capsules

- Provides significantly better absorption of calcium than from calcium carbonate & milk
- Protects against renal stone forming potential
- Increases osteoblastic activity for bone formation by vitamin K2-7
- Improves bone mineralization & bone mineral density by Calcium, Magnesium & methylcobalamin

## *Indications*

Post menopausal Osteoporosis  
Drugs-induced Osteoporosis  
Osteomalacia

Rheumatoid arthritis  
Osteoarthritis  
Osteopenia  
Fracture syndrome






In **Osteoporosis, Fracture & Chronic Low Back Pain**

**Kalmia's**

# DRAWBONE-FORTE

L-Methylfolate 1mg + Omega 3 Fatty Acid 150mg + Vitamin K2-7 45mcg + Methylcobalamine 1500mcg + Pyridoxal-5 Phosphate 0.5mg + Lycopene 5000mcg + CCM 500mg + Calcitriol 0.25mcg + EPA 90mg + DHA 60mg **Soft Gelatin Capsules**



*Reliable combination to fight against Tough Infections*

Kalmia's

# Drawmox CV 625 LB

Amoxicillin 500mg + Potassium Clavulanate 125mg + Lactic Acid bacillus 60 m.s.

**TABLETS**

- » Combination with Beta lactamase Inhibitor Results in an Antibiotic with Increase Spectrum of Action with Coverage Against Staphylococcus Aureus, e. Coli, Proteus, Klebsiella, Salmonella, Shigella, H. Influenzae, N. Gonorrhoea & Bacteroides Fragilis
- » EII Tolerates by Patients with high Safety Profile
- » Recommended as first Line Drug of Choice

» **Respiratory Tract Infections**

» **Upper Respiratory Tract Infection**

» **Lower Respiratory Tract Infection**

» **Skin & Soft Tissue Infection**

» **Urinary Tract Infection**

» **Surgical Prophylaxis**



 kalmia

End the painful **Spasmodic Moments...**



# **DROTAKAL**

## **Drotaverine Injection**

### **Indications**

- ✓ **Spasmodic dysmenorrhea**
- ✓ **Post operative pain**
- ✓ **Biliary colics**
- ✓ **Renal colics**
- ✓ **Abdominal colics**
- ✓ **Uterine irritability in pregnancy**

**For Healthy Spasm Free Life**

- *Drotaverine is used for pain relief.*
- *It relieves pain due to smooth muscle spasm like menstrual pain, pain due to kidney stone, pain due to biliary stone and gastro-intestinal colicky pain.*
- *Treat smooth muscle spasms in the gastrointestinal tract, urinary tract, and gall bladder.*
- *Drotaverine is a pain-relieving medication for spasms.*

**Get the Patients out of Fever and Pain**

**Double Strength** FOR COMPLETE Lung Protection

# DUOSHOT

# NEB

RESPULES

Levosalbutamol 1.25mg + Ipratropium Bromide 500mcg / 2.5ml

- ▶ Levosalbutamol compared to recemic sulbactum has better efficiency & Safety profile
- ▶ Overall lung coverage duo to different sites of action Ipratropium & levosalbutamol

## Indications

- ✓ Lungs Inflammation
- ✓ Shortness of breath / Difficulty in Breathing
- ✓ Treatment of chronic obstructive pulmonary disease COPD in short & Asthma



*For the Proud Motherhood*

Kalmia's

# Dydropill Pro

— Dydrogesterone 10mg —

**TABLETS**

- Treats female infertility, relieves various menstrual problems like heavy unusual menstrual bleeding or pain as well as irregular periods. Premenstrual syndrome (PMS) and endometriosis
- It also helps to restore normal menstrual cycles in case periods have stopped before reaching menopause.

## USES

- Treatment of Female infertility
- Treatment of Pain during menstruation
- Treatment of Premenstrual syndrome (PMS)
- Treatment of Endometriosis

## BENEFITS

- In Treatment of Female infertility
- Aids in infertility by preparing the uterine lining for pregnancy. It also helps in the regulation of the menstrual cycles.
- Increases the chances of a successful pregnancy in women who have a history of recurrent abortions.



## The Ideal Choice in Prevention of Blood Clots

Nizer's



# ENOXASHOT PFS

Enoxaparin 40mg/0.4ml & 60mg/0.6ml INJECTION

- ✓ Treatment & prevention of deep vein thrombosis (DVT) & pulmonary embolism (PE) including during pregnancy
- ✓ Treatment of unstable angina (UA) and non-Q-wave Myocardial infarction (NQMI), administered concurrently with aspirin
- ✓ DVT prophylaxis in knee replacement surgery
- ✓ DVT prophylaxis in hip replacement surgery
- ✓ DVT prophylaxis in abdominal surgery
- ✓ Treatment of DVT with or without pulmonary embolism
- ✓ Treatment of DVT inpatient, with ST-segment elevation myocardial infarction (STEMI)

40

60



✓ **Enoxaparin binds to anti-thrombin (a circulating anticoagulant) to form a complex that irreversibly inactivates clotting factor Xa.**

✓ **Belongs to the low molecular weight heparin family of medications.**



In **Nausea** Associated with **Acidity**

Kalmia's

# ESOKAL-DSR

— Esomeprazole 40mg + Domperidone 30mg —

**CAPSULES**

## Esomeprazole

- Early response in erosive esophagitis compared to omeprazole.
- Early response in chronic heart burn.
- Well tolerated.
- Comparison to pantoprazole.
- Significantly greater control of moderate to severe GERD

## Domperidone

- Improves motility & gastric emptying rate.
- Restores peristalsis to control gastric reflux.
- Prevents nausea and vomiting.

**Peptic Ulcer**  
**Nausea and Vomiting**  
**Ulcers**  
**Irritable bowel Syndrome**



— Also Available —

# ESOKAL-40

— Esomeprazole 40mg — **INJECTION**



**FIGHT** The Bite.....



with



# FALCIKAL

60  
120

Artesunate 60/120mg INJECTION

Potent blood schizonticide agent for P.Falciparum.

Suppresses the production or activity of Antioxidant enzymes in erythrocytes, causing lysis of the parasitic cell

Short duration of therapy Higher cure rate

P.falciparum malaria

Cerebral malaria

Second line treatment in Chloroquine resistant falciparum malaria





*Protective Shield for Severe Bacterial Infections*

**Kalmia's**

# FaroxenFX

TABLETS

- Useful for the treatment of community-acquired respiratory tract infections
- Broad-spectrum antimicrobial activity against many Gram-positive and negative aerobes and anaerobes
- Safe and effective for the treatment of obstetric or gynecological infections
- And complicated skin and soft tissue infections

## Indications

Respiratory Tract Infections

Skin & Soft Tissue Infections

Urinary Tract Infections

Gynaecological Infections

**200**  
Faropenem 200mg

**300**  
Faropenem 300mg

**CV**  
Faropenem 200mg +  
Potassium Clavulanate  
125mg

*To Efficiently Rise the HB in Your Body*

Kalmia's

# FeritronHB-XT

Ferrous Ascorbate 100mg + Folic Acid 1.5mg + Zinc Sulphate 22.5mg **TABLETS**



- **Most potent enhancer of iron absorption & considered as the Gold Standard in Iron therapy.**
- **Maximum Hb rise in 1 month & maximum bio-availability 43%.**
- **Prevents neural tube defects in foetus during pregnancy.**
- **Helps in the formation in RBCs.**
- **Zinc helps in DNA & RNA synthesis & improves foetal development.**


**Menorrhagia**

**Pregnancy & Lactation**

**Iron Deficiency Anaemia**

**Used in Inadequate Iron Intake**

**Used in Growth of spurts  
of infants & adolescents**





*The Prime Antioxidant for  
building & maintaining* **GUT Integrity**

# GLUTAJECT

**L-Alanyl-L-Glutamine 20%ow/v**

**INFUSION**

- ✦ **Protects the Integrity of the intestinal mucosa and maintains intestinal barrier functions**
- ✦ **Reduces Bacterial Translocation**
- ✦ **Decreases the Risk of G.I. associated infections & Infection induced inflammatory damage**
- ✦ **Reduces infection associated symptoms like : Diarrhea, Dehydration, Malabsorption & Electrolyte imbalance**
- ✦ **Improves absorption of nutrients & also increases absorption of other chemicals**
- ✦ **Decreases Weight Loss**
- ✦ **Improves recovery, enhances epithelial repair, inhibits Apoptosis due to Cellular Damage & Stimulates Cellular Proliferation**
- ✦ **Also helps inhibit muscle protein catabolism**



Redefine your skin  
with

# GLUTAKAL

600

1200

Glutathione 600mg/1200mg

INJECTION

- ▶ Increases energy
- ▶ Slows down the aging process
- ▶ Reduces muscle & joint discomfort
- ▶ Strengthens immune system
- ▶ Detoxifies the liver & cells
- ▶ Improves mental focus & clarity
- ▶ Improves quality of sleep
- ▶ Reduces the effects of stress
- ▶ Improves the skin
- ▶ Athletic performance & recovery



*Get Safe*

Viral Treatment with



# HERPISAFE

**Acyclovir 250/500mg**

**250**  
**500**

**INJECTION**

*Protective Shield for  
Your Complete Family*



- Exceptionally low toxicity and the low cost of acyclovir and related drugs that have been safely used in humans for more than 30 years, as well as their existing formulations as pills and creams, make them potentially applicable for HIV treatment, possibly in combination with other drugs cell.
- Patients with multiple myeloma who are receiving bortezomib therapy benefit from prophylactic acyclovir, which effectively & completely prevents reactivation of the varicella (herpes) zoster virus.

**PROMOTES CUTANEOUS HEALING**

**REDUCES NEURON DAMAGE**

**WELL TOLERATED WITH GOOD  
SAFETY PROFILE**

**FASTER RESOLUTION OF PHN**



 **kalmia**  
healthcare

**Promising Factor** in Critical Conditions

# IMI KAL

Imipenem 500mg + Cilastatin 500mg **INJECTION**

- ▶ **Exhibit highest sensitivity against ESBL producers.**
- ▶ **Higher rate of clinical success in comparison to Doripenem in Pt with VAP.**
- ▶ **Safest and effective up to dosage of 1gm every 6 hr.**

## Indications

- ▶ **INTRA-ABDOMINAL INFECTION**
- ▶ **LOWER RESPIRATORY TRACT INFECTION**
- ▶ **URINARY TRACT INFECTION**

- BACTERIAL SEPTICEMIA** ◀
- POLY MICROBIAL INFECTION** ◀
- BONE AND JOINT INFECTION** ◀
- SKIN AND SKIN STRUCTURE INFECTION** ◀



# Efficient Fight against Skin Infections


Kalmia's

# KALBACT

Mupirocin 2.0 %

Ointment

- ✿ Is used as a topical treatment for bacterial skin infections, for example, furuncle, impetigo, open wounds, etc.
- ✿ It is also useful in the treatment of superficial methicillin-resistant Staphylococcus aureus (MRSA) infections.
- ✿ Is inactive for most anaerobic bacteria, mycobacteria, Mycoplasma, chlamydia, yeast and fungi.



## Indications

**IMPETIGO**

**INFECTED ECZEMA**

**CARBUNCLES**

**FURUNCULOSIS**

**FOLLICULITIS**

**MINOR BURNS**

**SEVERE ECZHYMA**

**ATOPIC DERMATITIS**



The **Trustworthy** Duo against **Infections**

# KALCLAV

Amoxicillin 500mg + Potassium Clavulanate 125mg **TABLETS**

**Active against a wide range of Bacteria including Beta-Lactamase producers**

**Excellent Clinical Results in Varied infections**

**Time-Tested and Proven Combination**

**Stable in the Presence of Gastric Acid**

**Has a Broad-Spectrum Anti-Bacterial Activity**


**Also Available**

## KALCLAV-1.2

Amoxicillin 1000mg +  
Potassium Clavulanate 200mg


**INJECTION**

**Success Rates**



96.6 %

Recurrent  
Tonsillitis



97 %

Recurrent  
Sinusitis



99 %

Tonsillo-  
pharyngitis





Ultimate **POWER** against Infections in critical conditions

# KALNEM

Meropenem 125/ 250/ 500/ 1000mg

**125** **500**  
**250** **1000**

|| INJECTION ||

**S 1.5GM**

Meropenem 1000mg +  
Sulbactam 500mg

**TZ 1.125**

Meropenem 1000mg +  
Tazobactam 125mg

- Meropenem is an ultra-broad-spectrum injectable antibiotic used to treat a wide variety of infections
- Highly resistant to beta-lactamase & Cephalosporinase
- Superior to Imipenem
- Effective even against mixed infections

- ▶ **Septicaemia**
- ▶ **Bacterial Meningitis**
- ▶ **Febrile Neutropenia**
- ▶ **Complicated Intra Abdominal Infection**
- ▶ **Skin & Skin Structure Infection**



**THE ULTIMATE WARRIOR** AGAINST  
**SEVERE INFECTIONS**

# KALNEM-TZ 1.125

Meropenem 1000mg + Tazobactam 125mg **INJECTION**

## MEROPENEM

Stable to hydrolysis by the enzyme dehydropeptidase when compared to Imipenem

Less nephrotoxic & neurotoxic than imipenem

Has excellent safety profile and suitable for use in renally impaired patients

Offers greater therapeutic effects than cefuroxime plus Gentamicin

## TAZOBACTAM

A Penicillanic acid sulfone derivative with B-lactamase inhibitory properties.

Enhances the activity of B-lactam antibacterials.

**SKIN & SKIN STRUCTURE INFECTIONS**

**INTRA-ABDOMINAL INFECTIONS**

**BACTERIAL MENINGITIS**

**PNEUMONIA**



In disturbing *Burning Stomach*

Kalmia's

# KALRAB-IT

**Rabeprazole Sodium 20 mg + Itopride 150mg**

**CAPSULE**

- ❖ Irreversible Proton Pump Inhibitor that reduces Gastric Acid Secretion
- ❖ Ensures faster & easy stoppage of Hyperacidity
- ❖ Increases the release of acetylcholine & prevent its hydrolysis
- ❖ A Noval gastroprokinetic agent, stimulates postprandial gastric motility

**GERD**

**Dyspepsia**

**Nausea Associated with Acid Peptic Disorders**

**Chronic Gastritis**

**Post-operative Nausea & Vomiting**



Ensuring relief in **Peptic Disorders**

# KALRAB-DSR

Rabeprazole 20mg + Domperidone 30mg (SR) **CAPSULES**



## RABEPRAZOLE

- Ensures greater potency & rapid onset of maximal acid suppression than other PPIs.
- Sustains acid suppression to provide acid control & symptomatic relief over 24 hrs.
- Reduces the frequency and severity of heartburn to a greater extent than Ranitidine.

## DOMPERIDONE

- Strengthens the anti-reflux mechanisms.
- Speeds up the emptying of the stomach.

► GERD ◀  
► DYSPEPSIA ◀  
► GASTRIC & DUODENAL ULCERS ◀



**Also Available**

# KALRAB-20

Rabeprazole 20mg **INJECTION**



In disturbing **GERD, Reflux & Acidity**

**Kalmia's**

# KALRAB

# LSR

**Rabeprazole Sodium 20 mg + Levosulpiride 75 mg SR**

**CAPSULES**

## RABEPRAZOLE

- ▶ The fastest acting PPI thus fast relief from symptoms
- ▶ Potent PPI provides 99% inhibition of proton pump thus maximum suppression of acid release is achieved

## LEVOSULPIRIDE

- ▶ The new prokinetic agent, demonstrates greater central antidopaminergic activity, antiemetic & antidyspeptic effects
- ▶ Provides better relief from overall symptoms thus ensures better quality of life to patients

**Acid Peptic disorders**

**Gastric & Deudonal Ulcers**

**Heartburn & Reflux Oesophagitis**

**Irritable Bowel Syndrome**



Ease Out the Infections with

# KALROME

**CEFPIROME INJECTION**

**1GM**

Cefpirome 1000mg

**S 1.5GM**

Cefpirome 1000mg + Sulbactam 500mg

## CEFPIROME

Cefpirome binds to one or more of the penicillinbinding proteins (PBPs) which inhibits the final transpeptidation step of peptidoglycan synthesis in bacterial cell wall, thus inhibiting biosynthesis and arresting cell wall assembly resulting in bacterial cell death.

Cefpirome is rapidly and widely distributed in body fluids and achieves excellent tissue penetration reaching concentrations which exceed the minimum inhibitory concentrations for most pathogens

**Lower respiratory tract infections**

**Bacteraemia/Septicaemia**

**Complicated Urinary tract infections**

**Skin and soft tissue infections**

# The Latest Arsenal In *Treating* Severe Infections

## **KALROX PLUS**

Cefuroxime 1000 Mg +Sulbactam 500 Mg Inj

- Effective against a wide variety of organisms including Staphylococcus aureus, Streptococcus pneumoniae, Haemophilus influenzae, E. Coli
- Stable to beta-lactamase hydrolysis
- Attains high concentration in cerebrospinal fluid
- Achieves superior cure rates compared to Penicillin in tonsillopharyngitis
- Valuable antibiotic in the treatment of complicated urinary tract infections caused by resistant klebsiella
- Sulbactam inhibited the beta-lactamase degradation of ceftriaxone & enhanced the killing by ceftriaxone
- Sulbactam & Ceftriaxone are of similar prophylactic efficacy in the prevention of surgical-site infections after neurosurgery

### Indicated in :

Surgical Prophylaxis	Meningitis
Typhoid	Gynaecological Infection
Lower Respiratory Tract Infections	Urinary Tract Infections
Bone & Joint infections	Intra-abdominal infections

— Also Available :

**KALROX 750**  
Cefuroxime 750 Mg Inj

**KALROX 1.5GM**  
Cefuroxime 1.5GM Inj

**Strikes Multiple Infections** in One Shot...

A NO Escape Zone for **Pathogens**

# KALSTIN

Colistimethate Sodium 1/2/3/4.5 MIU **INJECTION**

1

3

2

4.5

- Useful for the treatment of infections caused by multidrug-resistant gram-negative bacteria.
- Has re-emerged for the treatment of infections caused by multidrug-resistant (MDR) Gram-negative bacteria.
- Safe as an adjunctive therapy of Gram-negative ventilator associated pseudomonas infections.
- Appears to be safe and effective for the treatment of severe infections caused by multidrug-resistant *P. aeruginosa* or *A. baumannii* in paediatric patients.

## *Indications :*

- Multidrug resistant urinary tract infection
- Multidrug resistant lower respiratory tract infections
- Sepsis
- Cystic fibrosis





Power to **FIGHT** Infections

# KALZAR

— Piperacillin + Tazobactam Injection —

**1.125**

Piperacillin 1gm +  
Tazobactam 125mg

**2.25**

Piperacillin 2gm +  
Tazobactam 250mg

**4.5**

Piperacillin 4gm +  
Tazobactam 0.5gm

## Piperacillin

Broad spectrum antibiotic active against gram positive & gram negative type of bacteria and anaerobes

Highly active organisms

## Tazobactam

b-lactamase inhibitor enhances the effectiveness of piperacillin

Demonstrated good activity against *B. fragilis* and *E. coli*.

Piperacillin-tazobactam is more effective than ceftriaxone + Sulbactam in febrile neutropenic patients with hematological malignancies

## Indications

**COMMUNITY-AQUIRED PNEUMONIA**

**NOSOCOMIAL PNEUMONIA**

**GYNECOLOGICAL INFECTIONS**

**FEBRILE NEUTROPENIA**

**APPENDICITIC & PERITONITIS**

**POSTPARTUM ENDOMETRITIS**

**SKIN & SKIN STRUCTURE INFECTIONS**

**PELVIC INFLAMMATORY DISEASE**



**POWERFUL ANTIBIOTIC** WITH **HIGH CLINICAL CURE RATES**

# **Linzo**pill

Linezolid 600mg

**TABLETS**

**INFUSION**



- Exhibits good activity against staphylococci, including strains resistant to methicillin, glycopeptides & other antibacterial agents
- Excellent option for the treatment of patients with significant, resistant gram-positive bacteremic infections
- Safe & efficacious in the treatment of patients with nosocomial pneumonia American Family

**COMMUNITY ACQUIRED PNEUMONIA**

**BACTERAEMIA**

**NOSOCOMIAL PNEUMONIA**

**SKIN & SOFT TISSUE INFECTIONS**

**URINARY TRACT INFECTIONS**

**FEBRILE NEUTROPENIA SEPTICAEMIA**



The Ideal solution for **Dryness of Eyes**

Nizer's

# LUBIZER-CMC

Sodium Carboxymethyl-Cellulose 0.5% w/v

Lubricant **EYE DROPS**



- Keeps the eye moist, helps to protect the eye from injury & infection, and decreases symptoms of dry such as burning, itching and feeling as if something is in the eye.
- Very effective to relieve dry, irritated eyes commonly caused by wind, sun, heating/air conditioning, computer use/reading, and certain medications.
- Shows a significant beneficial effect to improve clinical parameters in mild and moderate forms of dry eye and has tendency to improve the degree of corneal surface wettability and tearfilm integrity with higher percentage.

Indications : \_\_\_\_\_

**Irritation & discomfort in eye**

**Computer Vision Syndrome**

**Dry eye**

**Inflammation**


**Post-Lasik surgery**



**Also Available**



# The Novel Approach To Treat Fungal Infections...



## Indications

- ✓ Ringworm (Tinea corporis)
- ✓ JOCK ITCH (Tinea Cruris)
- ✓ ATHLETES FOOT (Tinea Pedis)
- ✓ PITYRIASIS (Tinea Versicolor)

## LUKAL CREAM

Luliconazole 1% W/W Cream 30 GM

- » Kill the fungal pathogens by interfering with the formation of the cell membrane and weakening it
- » Offers a broad spectrum anti-fungal agent with high potency
- » Ensure a shorter duration of treatment than other topical anti-fungal agents
- » Most potent anti-fungal agent against dermatophytes *trichophyton rubrum*, *microsporum gypsum* and *epidermatophyton floccosum*.
- » Works by killing sensitive fungi by interfering with the formation of the fungal cell membrane and weakening it.
- » Most potent antifungal agent dermatophytes *Trichophyton rubrum*, *microsporum gypsum* and *Epidermophyton floccosum*.

Calm down the

Elevated ICP



# MANIKAL

100ml



Mannitol 10gm + Glycerine 10gm INFUSION

**With Power of Duo**



- It is an osmotic diuretic agent & weak renal vasodilator.
- It is a reduced form of fructose and is produced by a variety of micro organisms
- It exceeds the reabsorption capacity of the tubule & the excess appears in the urine accompanied by an increased volume of water.
- Effective in reversing acute brain swelling

**INTRACRANIAL PRESSURE**

**CEREBRAL INFECTION**

**BRAIN ABSCESS**

**HEAD INJURY**

**INTRACRANIA TUMOUR**

**CEREBRAL OEDEMA**



*The Helping hand in Respiratory Allergies*

**Kalmia's**

# MONTEKAL-LC

Montelukast Sodium 10mg + Levocetirizine Dihydrochloride 5mg

**T A B L E T S**

## Montelukast Sodium

- Leukotriene receptor antagonists
- Reduces broncho constriction

## Levocetirizine

- Third generation non-sedative antihistamine
- Possesses decongestant effects by decreasing the reversibility of nasal airflow

**SEASONAL ALLERGIES**

**PRURITUS**

**CHRONIC IDEOPATHIC URTICARIA**

**PERENNIAL ALLERGIC RHINITIS**



Make **Breathing**

Easier & Lighter with


# NEBUSHOT

Salbutamol 2.5mg / Respules

- Salbutamol Respules is used for Asthma, Respiratory disease, Lung disorder and other conditions.
- Salbutamol Respules contains Salbutamol as an active ingredient.
- Salbutamol Respules works by relaxing the muscles in the walls of the small airways in the lungs.

## Indications

**Asthma**  
**Respiratory disease**  
**Lung disorder**



*In Acute Migraine.....*

Kalmia's

**NEXTNAP D** 250  
500

Naproxen Sodium 250/500mg + Domperidone 10mg

**TABLETS**



- ▷ Naproxen is a NSAID that reduces pain by blocking the production of certain substances such as prostaglandins that cause inflammation and pain
- ▷ Domperidone has a prokinetic activity that manages nausea
- ▷ It reduces pain, swelling and joint stiffness caused by arthritis, bursitis & gout attacks
- ▷ Safe to be used in lactating patients
- ▷ Combination is effective in treatment of migraine associated with nausea & vomiting and also been found to reduce the recurrence of migraine attacks

- ✓ **RHEUMATOID ARTHRITIS**
- ✓ **OSTEOARTHRITIS**
- ✓ **TENDINITIS**
- ✓ **ACUTE GOUT**
- ✓ **MIGRAINE**
- ✓ **MENSTRUAL CRAMPS**



The **ULTRA** Broad Spectrum Antibiotic

# NIZENEM

**125** | **500**  
**250** | **1000**

Meropenem 125/250/500/1000mg | INJECTION |

- Meropenem is an ultra-broad-spectrum injectable antibiotic used to treat a wide variety of infections
- Highly resistant to beta-lactamase & Cephalosporinase
- Superior to Imipenem
- Effective even against mixed infections

## Indications

- ▶ Septicaemia
- ▶ Bacterial Meningitis
- ▶ Febrile Neutropenia
- ▶ Complicated Intra Abdominal Infection
- ▶ Skin & Skin Structure Infection



An *Ideal* Choice to promote the Rise of **Hb**

# Nizeron 50

Ferric Carboxymaltose 500mg/10ml

INJECTION

- Ferric carboxymaltose injection is used to treat iron-deficiency anemia (a lower than normal number of red blood cells due to too little iron) in adults and children 1 year of age and older who cannot tolerate or who could not successfully be treated with iron supplements taken by mouth.
- It is also used to treat iron deficiency anemia in adults with chronic kidney disease (damage to the kidneys which may worsen over time and may cause the kidneys to stop working) who are not on dialysis.
- Ferric carboxymaltose injection is also used to treat iron-deficiency anemia and improve the ability to exercise in certain adults with congestive heart failure (a condition when your heart cannot pump enough blood to the other parts of the body).





*Complete Protection against  
Resistant Infections*

# OCTREOKAL

Octreotide 50/100mcg

| Injection |



- ▶ Octreotide is used to treat severe watery diarrhea and sudden reddening of the face and neck caused by certain types of tumors (such as carcinoid tumors, vasoactive intestinal peptide tumors) that are found usually in the intestines and pancreas.
- ▶ The symptoms occur when these tumors make too much of certain natural substances.
- ▶ This medication works by blocking the production of these hormones.
- ▶ Treating acromegaly helps reduce the risk of serious problems such as diabetes and heart disease. Octreotide works by decreasing the amount of growth hormone to normal levels.
- ▶ This medication is usually used with other treatment (such as surgery, radiation, other drugs).

## Indications

**VASOACTIVE INTESTINAL**

**CARCINOID TUMORS**

**WATERY DIARRHEA**

**SURGERY**





# PARALYXE

Paracetamol 1000mg Infusion

100ml

- ❁ Acts by inhibiting the enzyme cyclo-oxygenase (COX) & has a high affinity for COX-2
- ❁ Has an onset of analgesia time of around 11 minutes.
- ❁ Intravenous paracetamol is more effective than intramuscular pethidine to relief labor pain in normal vaginal delivery.
- ❁ Is effective for fever control in acute brain injury patients.

## Indications


Pyrexia

Labor pain

Post-surgical pain

Moderate pain following injuries

## Calm Down The Rising Temperature...




Make Breathing  
Easier & Lighter with

# PYROSHOT® G

Glycopyrronium 25mcg Respules

• A favorable safety and tolerability profile •

- ■ ■ An inhaled long-acting anticholinergic that produces bronchodilation by blocking the action of acetylcholine on the muscarinic receptors of airway smooth muscle cells
- ■ ■ Provides clinically significant 24-hour bronchodilation with a rapid onset of action, which is faster than that of Tiotropium
- ■ ■ Has the potential to be used as a monotherapy or combination therapy
- ■ ■ Improves lung function, reduces the risk of exacerbations, and alleviates the symptoms of breathlessness
- ■ ■ A fast-acting, efficacious treatment option for patients with moderate-severe COPD
- ■ ■ Slowly absorbed from the lungs and rapidly eliminated from the bloodstream, thus limits the potential for systemic adverse events



Kalmia's

# RIFAXIPILL-

Rifaximin 200/400/550mg — TABLETS



200

400

550

- ▶▶ Rifaximin stays in the digestive system and it is not absorbed into the blood.
- ▶▶ In traveller's diarrhoea, rifaximin is a first-line treatment option because of its favourable efficacy, tolerability and safety profile.
- ▶▶ Rifaximin is also used to treat irritable bowel syndrome with diarrhea.
- ▶▶ It is also used to prevent a brain problem caused by liver disease (hepatic encephalopathy)

Treatment of patients with acute & chronic intestinal infections

Infectious Diarrhea

Adjuvant therapy for hyperammonaemia

Pre and post-operative prophylaxis in gastrointestinal tract surgery



*Protective Shield From Resistant Bacteria*

**Kalmia's**

# ROXIKAL

TABLETS

**500**

Cefuroxime Axetil 500mg

**CV 625**

Cefuroxime Axetil 500mg  
+ Potassium Clavulanate 125mg

## Cefuroxime

- \* Bactericidal activity against gram +ve & gram -ve bacteria & also against B-lactamase producing strains
- \* Greater potency than cefaclor
- \* Effective in the treatment genitourinary, skin & soft tissue infections

## Potassium Clavulanate

- \* Prevents drug resistance by pathogens against B-lactam antibiotics

## Indications :

**PHARYNGITIS / TONSILLITIS**

**OTITIS MEDIA / MAXILLARY SINUSITIS**

**LOWER RESPIRATORY TRACT INFECTIONS**

**SKIN & SKIN-STRUCTURE INFECTIONS**

**URINARY TRACT INFECTIONS / GONORRHEA**

**BONE & JOINT INFECTIONS**



Optimal **POWER**  
against Infections

# TECOKAL

200  
400

**Teicoplanin 200/400mg INJECTION**

- ➔ A useful glycopeptide currently used for the treatment of methicillin-resistant *Staphylococcus aureus* (MRSA)
- ➔ Frequently administered to treat Gram+ve infections in paediatric patients
- ➔ Has the same in vitro sensitivity as vancomycin against methicillin-sensitive *S. aureus*, methicillin-resistant *S. aureus* & enterococci in clinical isolates
- ➔ Widely used in clinical practice for the treatment of infections caused by drug-resistant Gram+ve bacteria



**MRSA infection**  
**Bone & Joint Infections**  
**Infective endocarditis**  
**Complicated UTI**  
**Bacteraemia**  
**Complicated SSTIs**





**ULTIMATE WARRIOR**

**AGAINST SERIOUS INFECTIONS**



# TICARKAL

Ticarcillin & Clavulanic Acid 3.1 gm **INJECTION**

- ✘ Ticarkal is used to treat various types of bacterial infections such as urinary tract infections, bone and joint infections, stomach infections and skin infections.
- ✘ Ticarcillin works by stopping the growth of bacteria and fights against the infection by killing causative microorganisms.
- ✘ Clavulanic Acid is a beta-lactamase inhibitor that reduces resistance and enhances the activity of Ticarcillin against bacteria.

> **TREAT BACTERIAL INFECTIONS**

> **TREAT :**

**EAR, SINUS, THROAT, LUNG, URINARY TRACT, SKIN, TEETH, JOINTS & BONES**



## Beyond The Carbapenems.....



### Indications

- ✓ Lower respiratory tract infections
- ✓ Urinary tract infections
- ✓ Skin and soft structure infections
- ✓ Bacterial septicemia
- ✓ Poly microbial infection
- ✓ Bone and joint Infections

# TIGIKAL-50

Tigecycline 50 Mg Injection

- » Broad coverage and potent bacterostatic.
- » Against *S.Aureus*, *A. Baumannii* and MDR *Enterobacteriaceae*.
- » FDA approved for the treatment of Intra-abdominal Infection, Skin & Soft tissue infection and VAP
- » Crystalline Cake Structure
- » Thermo dynamical stability
- » Crystalline Cake Structure

***True Winner, Ultimate Warrior***


*The Caring Partner for Your Eyes*



Nizer's

# TIMOZER

Timolol Maleate 0.5% w/v

**EYE DROPS**



-  Offers faster onset (30 minutes) and longer duration (24 hours) of action after a single dose
-  To treat effectively elevated intraocular pressure in patients with ocular hypertension & open angle glaucoma

## *Indications*

Increase drug resistance time in the eye

Reduces ocular burning and irritation

Prevents dry eye conditions



## In Irritating **Blocked Noses**

Nizer's

# TRIMOVE-NS

— Sodium Chloride Nasal Drops —

- Commonly used as an adjunct medical therapy
- Useful tool to moisten and irrigate the sinuses
- Safe and well tolerated. Arch Otolaryngology Head Neck Surg.
- Helps liquify secretions and decrease the risk of crusting in the sinus cavities.



SINUSITIS

RHINITIS

COMMON COLD



**A Winning Edge** in Gram +ve Bacteria....

# VANCOFIT

Vancomycin Injection

**500/1000mg**

An glycopeptide antibiotic.

Used in the prophylaxis & treatment of infection caused by gram +ve bacteria against staphylococci & enterococci.

100 % Susceptible to B-lactams & macrolide resistant strains.

## *Indications*

**BACTERIAL MENINGITIS**

**COMPLICATED UTI**

**NOSOCOMICAL PNEUMONIA**

**COMPLICATED SSTI**



## Excellence in Prevention of **Cardiac Arrest**

# VASOLYXE



Vasopressin 20mg

INJECTION

- ♥ Vasopressin is used to treat diabetes insipidus, which is caused by a lack of naturally occurring pituitary hormone in the body.
- ♥ Vasopressin is also used to treat or prevent certain conditions of the stomach after surgery or during abdominal x-rays.
- ♥ Vasopressin is used in emergency settings to raise blood pressure in adults who are in shock.



### **INDICATIONS**

- ▶ **CARDIAC ARREST**
- ▶ **CARDIOGENIC SHOCK**
- ▶ **CARDIOPULMONARY RESUSCITATION**
- ▶ **DIABETES INSIPIDUS**
- ▶ **HYPOTENSION**
- ▶ **SEPTIC SHOCK**



*Rejuvenate the Mind Health*

with

# VIBROJECT

Cerebroprotein 60mg ■ I N J E C T I O N ■

## CEREBROPROTEIN

**Cerebroprotein** hydrolysate has been found to be useful in Traumatic Brain Injury, acute ischemic.



### Indications

Acute ischemic stroke

Alzheimer's disease

Vascular Dementia

Traumatic Brain Injury

# Ultimate Power to **fight Severe** Infections



- First line of therapy for bacterial vaginosis in pregnant women and prolongs gestation and reduce neonatal morbidity.
- Potent lincoamide Antibiotic for Anaerobic and protozoal infections.
- Effective against anaerobic bacteria, leading infections of respiratory tract, septicemia and peritonitis.
- Treats bone infections caused by Staphylococcus aureus.
- Effective and better therapy for Bacterial Vaginosis than triple Sulfonamide therapy.

## *Indications*

**BACTERIAL VAGINOSIS**  
**SKIN TISSUE INFECTIONS**  
**BONE & JOINT INFECTION**  
**RESPIRATORY TRACT INFECTIONS**  
**INTRA-ABDOMINAL INFECTIONS**  
**SEPTICAEMIA AND ENDOCARDITIS**



For **Fast & Assured Relief From Pain...**



- **Sprains & Strains**
- **Muscle Stiffness**
- **Joint Pain**
- **Backache**
- **In Neck Pain**
- **Shoulder Pain**
- **Sciatica**
- **Tendinitis**
- **Lumbago**

# Viclo<sup>TM</sup>lonac Gel

Diclofenac Diethylamine 1.16%, Methyl Salicylate 10%, Linseed 3%, Capsaicin 0.025% & Menthol 5% Gel

- Synergistic and anti-inflammatory action
- Effective pain relief and functional improvement of osteoarthritis
- Persist for over 11 hours in the synovial fluids
- Possesses anti-inflammatory properties through inhibition the production pro-inflammatory cytokines, NO and ROS
- Blocks the Na(+) channel and shows efficacy as topical analgesic compound

For Fast Relief From **Pain,**  
**Sprain & Strain...**

# For **Fast & Assured Relief** From Pain...



- ✓ **Sprains & Strains**
- ✓ **Muscle Stiffness**
- ✓ **Joint Pain**
- ✓ **Backache**
- ✓ **In Neck Pain**
- ✓ **Shoulder Pain**
- ✓ **Sciatica**
- ✓ **Tendinitis**
- ✓ **Lumbago**

## **Viclonaac<sup>TM</sup> Gel**

Diclofenac Diethylamine 1.16%, Methyl Salicylate 10%, Linseed 3%, Capsaicin 0.025% & Menthol 5% Gel

- *Synergistic and anti-inflammatory action*
- *Effective pain relief and functional improvement of osteoarthritis*
- *Persist for over 11 hours in the synovial fluids*
- *Possesses anti-inflammatory properties through inhibition the production pro-inflammatory cytokines, NO and ROS*
- *Blocks the Na(+) channel and shows efficacy as topical analgesic compound*

For Fast Relief From **Pain,**  
**Sprain & Strain...**


Quick relief from **Musculoskeletal Spasm & Pain** with

Kalmia's

# VICLONAC MX

Diclofenac Potassium 50mg + Metaxalone 400mg

**TABLETS**



## Diclofenac Potassium

- ▶ Shows highest inhibition of prostaglandins among other NSAIDs thus ensures potent relief.
- ▶ Diclofenac has greater cox-2 selectivity than ibuprofen & naproxen, thus show potent analgesic effect with lesser side effect.

## Metaxalone

- ▶ Metaxalone suppresses the polysynaptic spinal cord reflexes, while leaving the monosynaptic sensorimotor pathway intact.
- ▶ Edge over other skeletal muscle relaxants which include reduced sedation, lack of abuse potential & limited accumulation of the drug because of its short elimination half life.



**MUSCULOSKELETAL SPASMS & INJURIES**  
**MUSCLE SPRAINS & STRAINS**  
**LOW BACK PAIN**



**Ideal Corticosteroid** for Life threatening Critical Conditions

# VICORTISONE

Hydrocortisone 100/200mg

INJECTION

100  
200

**Drug of choice in emergency for steroid-dependent patients with adrenal insufficiency**

Shorter half life as compared to other corticosteroids

Preferred therapy as premedication to prevent adverse reactions

### Indications

- Anaphylaxis
- Skin Infections
- Endocrine disorders
- Rheumatic disorders
- Gastrointestinal diseases
- Nervous System Disorders
- Immunosuppressive Conditions
- Trauma & Emergency Conditions
- Respiratory & Tuberculosis Diseases



For the *Quick Pain Relief*

Kalmia's

# VIFENAC

INJECTION

- **Vifenac** has analgesic anti-inflammatory and antipyretic properties
- Is more effective than tramadol in the prevention of postoperative pain
- Has a rapid onset of action which suggest additional clinical benefit which may improve the safety and efficacy of post-operative analgesia

## *Indications*

- **BILIARY COLIC**
- **RENAL COLIC**
- **POST OPERATIVE PAIN**
- **OSTEOARTHRITIS**
- **RHEUMATOID ARTHRITIS**

**AQ**

Diclofenac Sodium 75mg  
Aqua Base (Painless) Inj

**PLUS**

Diclofenac 50mg +  
Dicyclomine 20mg Inj

**TH**

Diclofenac 37.5mg +  
Thiocolchicoside 2mg Inj



A timely answer to *serious infections...*

# VIMIKA-500

Amikacin 500 Mg Inj

- » Widest spectrum among aminoglycosides
- » Resistant to bacterial aminoglycosides inactivating enzymes
- » Active against gentamicin resistant infections like:
- » Nosocomial Infections, Recurrent Urinary Tract Infections,
- » Abdominal Infections & Burns
- » Helps initial treatment of severe lower Respiratory Tract Infections
- » Checks infections in immuno-compromised Patients

Assures Dependable  
Response *For Clinical Success...*

## Indications

- ✓ Meningitis ✓ Peritonitis
- ✓ Bacterial Septicemia
- ✓ Bone & Joint Infections
- ✓ Hospital Acquired Infections
- ✓ Serious Respiratory Tract Infections
- ✓ Recurrent Urinary Tract Infections

Also Available :

**VIMIKA-250**  
Amikacin 2500 Mg Inj

Calm down the **Gastric disorder** with

# VIPANTA-**DSR**

Pantoprazole 40mg + Domperidone 30mg SR

**CAPSULES**

- ✓ Reduces symptoms in patients having Non-Erosive GERD
- ✓ Completely cures of 72.34% patients with erosive GERD
- ✓ Effective & safe combination with high symptom reduction rates
- ✓ Addition of domperidone is helpful by acting on multiple pathophysiological mechanisms of the disease

**GASTROESOPHAGEAL REFLUX DISEASE**

**NON-EROSIVE GERD**

**NSAIDS INDUCED GASTRITIS**

**CHRONIC GASTRITIS/FUNCTIONAL DYSPEPSIA**

**NAUSEA ASSOCIATED WITH  
ACID PEPTIC DISORDERS**



Calm down the **Gastric disorder** with

# VIPANTA-**DSR**

Pantoprazole 40mg + Domperidone 30mg SR

**CAPSULES**

- ✓ Reduces symptoms in patients having Non-Erosive GERD
- ✓ Completely cures of 72.34% patients with erosive GERD
- ✓ Effective & safe combination with high symptom reduction rates
- ✓ Addition of domperidone is helpful by acting on multiple pathophysiological mechanisms of the disease

**GASTROESOPHAGEAL REFLUX DISEASE**

**NON-EROSIVE GERD**

**NSAIDS INDUCED GASTRITIS**

**CHRONIC GASTRITIS/FUNCTIONAL DYSPEPSIA**

**NAUSEA ASSOCIATED WITH  
ACID PEPTIC DISORDERS**

**ALSO AVAILABLE**

## VIPANTA-40

Pantoprazole 40mg

**TABLETS**

## VIPANTA-40

Pantoprazole 40mg

**INJECTION**





For Quick Action against Surgical Infections

# VIPERAZONE

INJECTION

**1GM**

Cefoperazone 1gm

**S 1.5**

Cefoperazone 1gm +  
Sulbactam 0.5gm

**S 1GM**

Cefoperazone 0.5gm +  
Sulbactam 0.5gm

**TZ 1.125**

Cefoperazone 1gm +  
Tazobactam 125mg

- Cefoperazone is a Beta-lactam antimicrobial & Tazobactam and Sulbactam is an irreversible Beta-lactamase inhibitor.
- Effectively treats different types of in-and out-of-hospital infections.
- Exhibits upto 80% of eradication rate in c-UTIs, 100% in acute uncomplicated pyelonephritis.
- Considered as a clinically useful antibiotic in treating urinary tract infections.
- Useful adjunct to surgical intervention for intra-abdominal infections.

## Indications

**MENINGITIS**

**SEPTICAEMIA**

**RESPIRATORY TRACT INFECTIONS**

**INTRA-ABDOMINAL INFECTIONS**

**BONE AND JOINT INFECTIONS**

**URINARY TRACT INFECTIONS**

**PELVIC INFLAMMATORY DISEASE**



*Optimal Recovery from*  
**GIT Bleeding**

# VIPRESSIN

Terlipressin 1mg INJECTION

- ✦ A long-acting vasopressin, acts through stimulation of vasopressin-1 receptors in gastrointestinal bleeding.
- ✦ Reduces blood flow and portal venous pressure thus blood flow is arrested.
- ✦ Decreases mortality rate in bleeding oesophageal varices (BOV).
- ✦ Shows 88% efficacy in treatment of gastrointestinal bleeding.

## INDICATIONS

**Hepato-renal Syndrome**

**Acute Variceal Bleeding**

**Gastrointestinal Bleeding**


**Abdominal & Pelvic Surgery**

To Efficiently *Rise* the *HB* in Your Body

**Kalmia's**

# VIRÖN

Iron Sucrose 100mg Inj **INJECTION**



- Replenishes tissue iron stores, reverses iron depletion & iron-deficient erythropoietin & corrects or prevents iron deficiency anaemia
- Can be safely administered to haemodialysis patients intolerant to other iv iron products
- Can be administered without a test dose
- In four US clinical trials in hemodialysis-dependent chronic kidney disease patients, a total of 130 patients who were intolerant to other IV iron products (100 intolerant to iron dextran alone, intolerant to Ferric Gluconate alone, 15 intolerant to both) were successfully treated with iron Sucrose

**Maintaining Pregnancy**

**Foetal development**

**Postpartum recovery**

**Iron Deficiency anaemia**

**In Chronic Hemodialysis**

For emesis **control** when required...



# VISET-2ML

Ondansetron 4 Mg Inj 2 ML

- » Potent antiemetic agent
  - » Reduces vomiting and facilitates oral rehydration in gastro-enteritis
- New Eng.Journ. of Med.;354(16), 1698-1705*
- » Safe and effective even when used in children
  - » Lacks sedative, dysphoric and extrapyramidal symptoms associated with Droperidol & Metoclopramide
  - » More effective for preventing PONV, for improving patient satisfaction when administered at the completion of surgery

## Indications

- ✓ POST OPERATIVE NAUSEA & VOMITING
- ✓ RADIOTHERAPY TREATMENT INDUCED NAUSEA & VOMITING

*Complete control over nausea and vomiting*